Volume 5, Issue 1

March, 2013

The Brighter Side!

New Products at Bruck!

Titan M



Titan M is a compliment to any palette or design! Allow your imagination to take over with a wide variety of colors and finishes, or you stick with the standard anodized bronze and matte chrome. Titan M is offered as a part of their best selling Chroma series. Included is a 5 year color shift warranty! It is also offered with a standard MR16 lamping option up to 50wfor a warm glow at the surface.

GalaxZ



The GalaxZ is an innovative line voltage LED linear and low profile fixture for track or pendant mounting. It is offered in 2 or 4 foot lengths and consumes 20W per foot. A lockable integrated tilt swivel adaptor allows GalaxZ to be used as a flood, wall wash, or display fixture with 0-90 degree tilt when used on the voltage track. It's ideal for general lighting where 54w T5HO would be used.

Ledra Gallery



The Ledra Gallery is a high performance wall wash track head. The specially engineered LED board has 8 watts of LED's using 81 emitters which creates a wash distribution. Gallery produces an impressive 900 lumens from a 3x3 square aperture of its 1/2 inch low profile body. It is a uniplug design allowing for use on any Bruck low voltage track systems using the appropriate adaptor.

Inside this issue:

GVA Highlighter 2

EVERBRITE 2
Accent Light

LUMUX Flood Light

3

3

4

4

ILEX Ghost Chandelier

GUTH Enviroguard Low

Featured Day-Brite Products

Creative Lighting 5
Effects

Special points of interest:

 New & coming soon products from BRUCK!

Happy Saint Patrick's Day!

• WORD SEARCH!

Coming Soon at Bruck...



Chroma Caliber

Eclipse





Chroma Z35 Spot

www.BruckLighting.com



Pointlight - High Intensity Elevated Runway Fitting

Features

- Lightweight and robust due to its predominantly aluminium alloy construction which also provides good corrosion resistance
- Available with multiple lamps and lenses for one body to provide adaptability across the airfield
- Consists of a system of two (2) clear or coloured inner lenses and a special bidirectional outer lens
- Both beams are toed-in toward the

runway centreline

- Stainless steel clamp allows for straightforward access to the lamp during maintenance procedures
- In order to maintain water tightness, a gasket is used to form a tight seal between the body and the glass
- Easily levelled from the outside using stainless steel wing nuts
- Powder coat paint finish in golden yellow

- Choice of mounting stems available
- Includes frangible coupling and FAA L-823 plug assembly
- Base plate and mounting assembly available separately



GVA Highlighter - DL

Highlighter-DL™ is a modular LED lighting system for large scale installations. Typical applications include architectural delineation where long runs are necessary and limited power feeds are available. Highlighter-DL™ which features GVA Lighting's proprietary power and control system, INFINITY™, which



allows it be installed in excep-

tionally long runs, up to 341ft

or 102m, with a single power and data feed. The Highlighter-DL™ system consists of three components: the Highlighter™ module, an aluminum mounting profile and an acrylic diffuser. The diffuser conceals all mounting provisions and presents a clean, uniform illuminated surface.

Everbrite - Architectural Accent Light; LED Up/Down Wall Light

Everbrite's Up/Down LED Lighting Fixture

provides an innovative, energy efficient solution to building illumination. The uniquely designed fixture offers a wide variety of exterior applications geared toward image enhancement, brand highlights and safety. This original architectural element provides a very flexible alternative to typical fluorescent options.

- · Adjustable beam angles
- Virtually maintenance-free
- Low energy consumption
- Extremely bright



LUMUX REGESSED FLOOD LIGHT

IP65, Walk 1/2" over linear fluorescent in 1/2" grade luminaries fabricated from extrusion aluminum S6062 alloy with less than 1% copper. Other components are low copper die cast aluminum. High purity anodized aluminum 99.98% symmetrical or asymmetrical reflector is covered with 8mm thickness impact resistant transparent safety tempered glass. All



fasteners are in Allen head type

stainless steal. Silicon gasketed to qualify the unit for weather tight application. ETL rated for wet location. Unit could be specified for façade or sign illumination, marking or tracing for pedestrian walkways. The compact design of this unit would benefit this unit for tight space application.

Phoenix ModCom® Hi LED Floodlight



The ModCom® Hi LED Floodlight

is an instant-on, surface mounted fixture designed for applications that need more light or have higher mounting heights. Solid state lighting technology is extremely energy efficient and very low maintenance even in the harshest of installations. Designed for versatility, the ModCom® Hi LED Floodlight has an adjustable mounting harp.

Light Source

- —Cree or Luxeon® Rebel light emitting diode (LED) modules— Up to 25,000 lumens and 300W
- -CRI > 70
- CCT of 54<u>00</u>K
- L ED rated life is 50,000 hours
- Conformal coated circuit boards

ILEX Ghost Chandelier

An intriguing union of a contemporary organza shade and the essence of exposed metal beautifully accent the simple and clean lines of the Ghost Chandelier. Measuring 36" in diameter and 32" tall,

it creates a fresh illumination solution for incandescent lamps. Customization in size, shade, and finish available. Available in 7 standard finishes. Ilex can make your vision a reality.



Volume 5, Issue 1

GUTH - Enviroguard Low Mount

Enviroguard is a low mount fixture available in a variety of sizes, enclosures and reflector options yielding to application versatility.

FEATURES

- Low mount family available in 4 sizes with painted, anodized aluminum, or acrylic prismatic optics.
- Open, enclosed, wet location or hose-down construction.
- Single and multiple fluorescent or HID lamping.

- Smooth surface on bottom closure minimizes dirt accumulation.
- Silicone gasketed reflector for hose down and wet location.
- Open bottom optics available with damp or wet location label.
- Standard pendant mount.
- Loop hanger with damp location plug or loop hanger with wet location plug and receptacle.

- Pendant mount for 16", 22", and 25" HID requires 9" of clearance from ceiling for wiring access.
- 16", 22", and 25" HID fixtures with J-Box option (JB) mount 5" below ceiling.



Daybrite: Featured Products

44R Exit Sign

44R: The ultimate exit sign that can do it all. Exit panel rotates to any angle 0° to 180° allowing ceiling, wall, or sloped ceiling mounting with the same exit sign. This universal exit can be recessed mounted in the ceiling or wall; AND surface mounted on the ceiling, wall or end mounted. All this accomplished with one catalog number. A distributor can order and stock ONE catalog number, all in ONE carton, for any of the FIVE applications. The universal edge-lit exit with battery backup comes standard with self-diagnostic/self-test circuitry. This feature exempts the building owner from the burden of monthly testing of every exit sign. Field selectable chevrons eliminate the need to specify the arrow designation.

EXIT

Alumabay

Alumabay: Philips Day-Brite's AlumaBay is the next generation fluorescent high bay. Along with the original energy saving advantages that gave life to the fluorescent high bay, the AlumaBay features a sleek attractive profile. Its all aluminum construction makes it lightweight yet strong while offering an eyecatching and durable finish. The compact size of the AlumaBay promotes easy handling and reduced installation costs, but does not sacrifice performance. In fact, its innovative lamp arrangement offers outstanding light distribution. Requiring no paint and utilizing less material than other high bays, AlumaBay is also a very sustainable lighting choice. It even ships in cartons that use no tape.



Volume 5, Issue 1

-Hanover-Greative:Lighting-Effects



Path and Walkway lighting is one of the most important functions of low level lighting. These fixtures should cast a symmetrical light pattern and be mounted at a low enough level as not to be a glare to the eyes. They help to direct visitors where to walk and highlight plants and shrubberies along the walkway.





Spread lighting is used for illuminating ground cover and low shrubberies. Bring out the dazzling colors at night for a more stunning effect. Highlight areas of interest to focus attention to those special plants which are your pride and joy.





Uplighting creates interesting textures on trees and architectural elements. The effect is achieved by placing a luminaire close to a tree or facade and aiming it 90' vertically. It is perfect for masonry walls, chimneys, iences and is an excellent way to highlight the singular beauty of more appealing trees.





Spotlighting is used to project a beam of light on interesting objects such as statuaries, trees, buildings or shrubberies. The light should not be overpowering, but rather subtle, and used in conjunction with other lighting.





Silhouette or Back lighting adds a dramatic effect when lights are projected onto a wall or flat vertical surface from directly behind an interesting object or an exceptionally shaped plant or shrub. The light source should be concealed on the ground directly behind the object being silhouetted.





Shadowing creates mystique and is very similar to silhouetting. Shadowing is created by placing the light source in front of an object, projecting an image onto a wall or other flat vertical surface.



Volume 5, Issue 1



The first person to highlight and complete and send back to kandace@sunriselightingsystems.com will receive a \$5 gift card to Starbuck's or Jamba Juice. The words are up, down, left, right, diagonal and even backwards! Ready, set, GO!

Sunrise Lighting

HAPPY ST PATRICK'S DAY

360 W Bedford Ste 116 Fresno, CA 93711

• • • • • • • •

Phone: 559-435-6090 Fax: 559-435-6089

DO IT RIGHT
THE FIRST TIME!

Sunrise Lighting Systems was founded on the notion of providing superior service to our customers. Having a broad range of product lines from decorative and specialty lighting to commercial and site lighting is just one way of accomplishing that goal. There is always a friendly

and knowledgeable member of the sales team available to help you with your lighting requirements.



Some words of advice: "Never iron a four-leaf clover, because you don't want to press your luck!

Robert McVicar - President robert@sunriselightingsystems.com

Gina Schmidt - Office Manager/Orders

gina@sunriselightingsystems.com

Jeremy Kinzel - Quotes jeremy@sunriselightingsystems.com

Robert McVicar Jr. - Quotes

robert_ir@sunriselightingsystems.com



Kandace Blackford - Receptionist kandace@sunriselightingsystems.com